


100W Commercial DMX LED Recessed Downlight

RAC-0100-SH-01-60



SUNRAY Halogen
2000K~5000K

產品規格

SPECIFICATION

產品型號 Model Name RAC-0100-SH-01-60L

機構規格 Mechanical Spec

本體材質 Housing Material 鋁合金 Aluminum Alloy
燈罩材質 Lens Material 玻璃 Glass
燈體 外徑尺寸 Outer Dimension \varnothing 208mm(L) x 200mm(H)
控制盒 尺寸 Outer Dimension 208mm(L) x 200mm(H)
重量 Weight 3.5Kg(燈體) 1Kg(控制盒)
安裝方式 Setting 嵌入式

電源規格 Electrical Spec

輸入電壓 Power input Voltage AC100~240V 50/60Hz
消耗功率 Power Consumption Max 100W
功率因數 Power Factor >0.9

光學規格 Optical Spec




可調色溫區間 Color Temperature Range	2000K~5000K
100W 恆功率色溫區間 Constant power color temperature range	3000K~4300K
演色性 Ra >95	2600K~4300K
Duv \pm 0.0015	2600K~4300K
R9 >90	2600K~4300K
TLCI >98	2600K~4300K
TM-30 Rg >98	2600K~4300K

環境規格 Environmental Spec

操作溫度 Operating Temperature -10°C to 40°C
儲存溫度 Storage Temperature -10°C to 60°C

燈體 外形尺寸

DIMENSIONS





單位：mm


光色特性

Color Parameter Characteristics


混光數據 Mixed Data



CCT VS TLCI Chart




CCT VS Rg Chart



光譜數據 Spectrum Data

Spectrum Chart



照度圖 illuminance

3200 60° Illuminance diagram

